



ELECTRIC CLEANERS

> VOYAGER™ FULL ON AGILITY

RE 4400 iQ



> CYCLONIC PERFORMANCE

Its patented cyclonic suction is powerful and long-lasting. Its helix shaped brushes and dual stage progressive filtration collect all debris more efficiently, even the smallest ones.

With VOYAGER™, your pool will be perfectly clean all year round.



> INTEGRATED AGILITY

With its embedded smart sensors and its unique design, VOYAGER™ offers excellent pool coverage and limitless agility. Thus, it is ideal for all pool shapes and surfaces.



> EASE OF USE

Thanks to the iAqualink™ application, your robotic cleaner's features can be accessed remotely using your smartphone. VOYAGER™ is also upgradeable thanks to its automatic updates*. Its backlit top access filter, and its transparent window offers real daily ease of use.

* Cleaner must be connected to the iAqualink app to allow software updates.

Clear window over canister

Dual-stage filtration

Easy access to the filter

Helix shaped brushes (front and rear)

Large suction capacity

23 cm


Wi-Fi Control through the iAqualink™ App
• Select cycle, start, stop and check*
* depending on model

3 YEARS WARRANTY
2 years + 1 additional year if the robot is paired with the iAqualink™ application*
*See conditions in the warranty leaflet





ELECTRIC CLEANERS

> VOYAGER™ FULL ON AGILITY



COMPARATIVE TABLE OF RANGES

TECHNICAL SPECIFICATIONS

		RE 4200	RE 4400 iQ
			
Types of pools	Surfaces	Liner, polyester hull, reinforced PVC, painted concrete, tiles	Liner, polyester hull, reinforced PVC, painted concrete, tiles
	Shapes	Rectangular, oval, free shape	Rectangular, oval, free shape
	Bottom	Flat, composite shape, diamond shape	Flat, composite shape, diamond shape
	Size	10 x 5 m (15m cable)	12 x 6 m (18m cable)
Performance	Traction	Tracks 2 motors	Tracks 2 motors
	Cleaning areas	Floor / walls / water line	Floor / walls / water line
	Cyclonic suction	✓	✓
	Filtering level	100µ	Dual 150µ + 60µ Or coarse 150µ only
	Filter capacity	4L	4L
	Swivel	-	-
	Sensor Nav System™	-	-
	Remote control	-	-
Cycles	Type of brush	Helix shaped - Front	Helix shaped - Front & rear
	Number of cycles	2	2
	Cleaning cycles	Floor / Walls / Waterline Floor only	Floor / Walls / Waterline Floor only
	Manual cleaning time adjustment	-	-
Ease of use	iAqualink app control	-	✓
	Lift System	-	-
	7-day timer	-	-
	Full filter indicator	-	-
	Transparent window	✓	✓
	Backlit filter	-	✓
	Type of filter	Rigid Filter canister with top access	Rigid Filter canister with top access
	Trolley	-	-
	Water temperature display	-	-
	Spot cleaning mode	-	-
Warranty	2 years	3 years*	

*2 years + 1 year if the cleaner is paired to iAqualink™



RE 4200 VOYAGER™

Pool Cleaners > Electrics > RE 4200 VOYAGER™

2 YEAR
WARRANTY

FULL ON AGILITY

- + Optimal cleaning performance : Patented cyclonic suction / Helix shaped brushes / Large suction capacity
- + Integrated agility : Designed to work in all pool shapes or surfaces / Tracks / accelerometer & gyroscope sensors
- + Ease of use : Top access filter / transparent window



**NEW FOR
2021**



REFERENCE PRICE

Product reference : WR000331

ACCESSORIES INCLUDED IN THE PACK



Control box



Fine Filter canister 100µ



Control box base

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 10 x 5m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles : - Floor only : 1h30 - Floor / walls / waterline : 2h30
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 2 motors
Brushes	Yes - front brushes
Lift System	No
Transparent window	Yes
Full filter indicator	No
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister / Top access
Units / pallet	20

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	15m
Cleaner size (L x W x h)	43 x 40 x 30 cm
Packaging size (L x W x h)	56 x 56 x 37 cm
Cleaner weight	8 kg
Packaging weight	14kg
Filtering surface and level	526cm ² / 100µ
Filtering capacity	4L
Inlet suction size	23 cm



Spare parts p.214

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Main canister 200µ for single filter	Main canister 150µ for dual stage filter	Over canister 60µ for dual stage filter	Protective cover	Trolley
Reference	R0897700	R0897600	R0898100	R0568100	R0639500



9 317545 277936



RE 4400 iQ VOYAGER™

Pool Cleaners > Electrics > RE 4400 iQ VOYAGER™

3 YEAR
WARRANTY*

FULL ON AGILITY

- + Optimal cleaning performance : Patented cyclonic suction / Helix shaped brushes / progressive dual stage filtration 150/60µ
- + Integrated agility : Designed to work in all pool shapes or surfaces / Tracks / accelerometer & gyroscope sensors
- + Control via iAqualink™ app : basic features
- + Ease of use : Top access filter / transparent window



NEW FOR
2021



iAqualink
CONTROL



REFERENCE PRICE

Product reference : WR000327

ACCESSORIES INCLUDED IN THE PACK



Control box



Dual Filter canister 60µ / 150µ



Control box base



Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles : - Floor only : 1h30 - Floor / walls / waterline : 2h30
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 2 motors
Brushes	Yes - front and rear brushes
Lift System	No
Transparent window	Yes
Full filter indicator	No
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister / Top access
Units / pallet	20

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m
Cleaner size (L x W x h)	43 x 40 x 30 cm
Packaging size (L x W x h)	56 x 56 x 37 cm
Cleaner weight	8 kg
Packaging weight	14kg
Filtering surface and level	1066cm ² 150/60µ
Filtering capacity	4L
Inlet suction size	23 cm



Spare parts p.216

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Main canister 100µ for single filter	Main canister 200µ for single filter	Protective cover	Trolley
Reference	R0897500	R0897700	R0568100	R0639500

* 2 years + 1 year if the cleaner is paired to iAqualink™



9 317545 277851